



# 2025 OUTDOOR LIGHTING PRODUCTS PRICE LIST

INNOVATIVE, MODERN, DURABLE, SOPHISTICATED  
STYLISH, EXCEPTIONAL QUALITY

- 561-900-7155
- sales@turfusa.com
- turfusa.com



# 2025 OUTDOOR LIGHTING PRODUCTS PRICE LIST

INNOVATIVE, MODERN, DURABLE, SOPHISTICATED  
STYLISH, EXCEPTIONAL QUALITY

- 561-900-7155
- sales@turfusa.com
- turfusa.com







TABLE OF CONTENTS

|                   |       |                          |       |
|-------------------|-------|--------------------------|-------|
| UP LIGHTS         | 3-8   | PATH LIGHTS              | 19-26 |
| DOWN LIGHTS       | 9     | DECK LIGHTS              | 27-28 |
| WALL LIGHTS       | 10    | HARDSCAPE LIGHTS         | 29-31 |
| PANDENT LIGHTS    | 11    | INTEGRATED FIXTURES      | 32-39 |
| WELL LIGHTS       | 12-14 | LOW VOLTAGE TRANSFORMERS | 40-43 |
| UNDERWATER LIGHTS | 15    | ACCESSORIES              | 44-47 |
| FLOOD LIGHTS      | 16-18 |                          |       |




Up Light




Specifications & Features:

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze/ matte black standard finish
- 7, Limited lifetime warranty

**PRICE: \$32**




Matte Black



Light Bronze



Lotus LED MR16



Description:

The AL01B is a powerful yet compact up light, designed to perform with drop-in LEDs. Its compact design eliminates the wasted space required in traditional halogen fixtures. Constructed from solid brass, this CNC-machined fixture is the perfect accent for any landscape.



Up Light

PRICE: \$48


Specifications & Features:

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze/ matte black standard finish
- 7,Fixed socket / spring socket
- 8,Limited lifetime warranty

•AL02B




Matte Black



Light Bronze



Lotus LED MR16



72"inch  
wire  
lead



IP  
65





Uniform  
Finish



MR16  
fixture

Description:

One of our most popular up lights, this fixture offers both style and function without compromise. Constructed from heavy-duty solid brass with an elegant Antique Bronze finish, it is designed to seamlessly blend into any landscape. Its sleek, straight lines and lock-and-load shroud feature make it an essential fixture for lighting queen palms, trees, columns, or any other tall structure.




Specifications & Features:

- 1, Solid cast aluminum construction
- 2, Machined aluminum thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6,Brown standard finish
- 7, Limited lifetime warranty

PRICE: \$48


•AL02A



Brown



Lotus LED MR16



72"inch  
wire  
lead



IP  
65





Uniform  
Finish



MR16  
fixture

Description:


One of our most popular up lights, it offers style and function without compromise. Heavy duty, solid aluminum with a brown finish gives this fixture the perfect design to blend in with any landscape environment. Its sleek straight lines, lock and load shroud feature make it an essential fixture when lighting queen palms, trees, columns, or any other tall structure.





Up Light

PRICE: \$48



72"inch wire lead

IP 65

Uniform Finish

MR16 fixture

Description:


The AL03B is designed for up lighting applications and features a fully adjustable glare guard and knuckles. The glare guard helps prevent light from entering unwanted areas, such as windows, high-traffic zones, walkways, or roadways.

Specifications & Features:

- 1, Solid cast brass construction
- 2, Specification grade, beryllium copper socket
- 3, Adjustable glare guard
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze/ matte black standard finish
- 7, Limited lifetime warranty



PRICE: \$36




72"inch wire lead

IP 65

Uniform Finish

MR16 fixture



Specifications & Features:

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



## Up Light




**PRICE: \$27.50**

### Specifications :

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



• AL06B



Light Bronze



Lotus LED MR16

72"inch  
wire lead


IP 65

Uniform  
Finish



MR16  
fixture

### Specifications & Features:

- 1, Wattage: 8W
- 2, Lumen: 500LM
- 3, Voltage: 9-17V AC/DC
- 4, CCT: 2700K -6000K( adjustable)
- 5, CRI: 80
- 6, IP: 65
- 7, Warranty: 5 years 8, Solid cast brass construction



Light Bronze




**PRICE: \$62**



Up Light

PRICE: \$42



Description:

The AL07B is designed for up lighting applications, features a fully adjustable glare guard and knuckles. The glare guard enables you to prevent light from entering unwanted areas like windows of structures or high traffic areas like walkways or roadways.

Specifications & Features:

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Adjustable glare guard
- 5, Premium grade direct burial cable
- 6, Anti-Moisture connections
- 7, Light bronze standard finish
- 8, Limited lifetime warranty



Specifications & Features:



PRICE: \$34

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



Description:

This mini MR11 spotlight is to place in garden planters, small garden beds, and other niche areas. A removable and adjustable glare shield allows the installer to precisely control the light so it can reduce direct glare for a more pleasant viewing experience.





Up Light

PRICE: \$33




Description:

This mini MR8 spotlight is to place in garden planters, small garden beds, and other niche areas. A removeable and adjustable glare shield allows the installer to precisely control the light so it can reduce direct glare for a more pleasant viewing experience.

Specifications & Features:

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Adjustable glare guard
- 5, Premium grade direct burial cable
- 6, Anti-Moisture connections
- 7, Light bronze standard finish
- 8, Limited lifetime warranty



Light Bronze



Lotus LED MR8



PRICE: \$48




Description:

The AL15B comes with a long glare guard, it offers style and function without compromise. Its sleek straight lines, lock and load shroud feature make it an essential fixture when lighting queen palms, trees, columns, or any other tall structure.



Specifications & Features:

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Fixed socket / spring socket
- 8, Limited lifetime warranty



Light Bronze




Lotus LED MR16





**PRICE: \$52**



**Description:**

This solid brass downlight with Y mount bracket is great for any lighting application. The side entry point for the wire and socket allow this fixture to become fully waterproof and has a standard clear lens. Fully adjustable stem which allows you to maximize the angles. Paired with our Lotus MR16 100 degree, you can create countless moonlight settings.

**Specifications & Features:**

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



Light Bronze



Lotus LED MR16





# Wall Light



**PRICE: \$60**

WL01B




**Description:**  
Solid brass wall sconce with dual MR16 options. Great for pool enclosures or Lanai areas. The rectangle mounting plate gives a sleek architectural appearance.

- Specifications & Features:**
- 1, Solid cast brass construction
  - 2, Specification grade, beryllium copper socket
  - 3, Premium grade direct burial cable
  - 4, Anti-Moisture connections
  - 5, Light bronze/ matte black standard finish
  - 6, Limited lifetime warranty



Matte Black



Light Bronze



Lotus LED  
MR16



## Pendent Light




**PRICE: \$36**



•RL01B




•RL03B



### Specifications & Features:

- 1, Solid cast brass construction
- 2, Specification grade, beryllium copper socket
- 3, Premium grade direct burial cable
- 4, Anti-Moisture connections
- 5, Light bronze standard finish
- 6, Limited lifetime warranty



Light  
Bronze



Lotus LED MR16



Well Light

**PRICE: \$50**



• IGL06B


**PRICE: \$**



• IGL07B


**Specifications & Features:**

- 1, Solid cast brass and composite construction
- 2, High temperature lamp retainer
- 3, PAR36 screw terminal lamp connection
- 4, Premium grade direct burial cable
- 5, Light bronze standard finish
- 6, Limited lifetime warranty



**Description:**

Our In-Ground light series offers a composite PAR36 well light with an angled brass cover with glass lens. The stainless steel Gimbal allows you to pivot our Lotus PAR36 bulb for maximum exposure. Included is a 72" foot wire lead with fork terminals for easy installation.



Light Bronze



Lotus LED PAR36

**PRICE: \$35**



IGL08B


**PRICE: \$46**



IGL09B

**Specifications & Features:**

- 1, Solid cast brass and composite construction
- 2, Stainless steel inner layer
- 3, High temperature silicone o-rings
- 4, Specification grade, beryllium copper socket
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



Light Bronze



Lotus LED MR16

**Description:**

A highly versatile In-Ground fixture in our IGL series, this small MR16 well light can be used in garden settings along with paver and hard scape installations. This well light comes with a spring loaded socket, allowing the Lotus MR16 to press firmly against the glass which offers a more significant beam spread. The fully gasketted stainless steel body and decorative brass ring allows this mini well light to match the landscape lighting design esthetic.



Well Light

**PRICE: \$41**



•IGL16B

**Description:**

The IGL16B, IGL17B, IGL18B and IGL19B are all sealed outdoor lighting well lights that use an MR16 lamp. The socket is mounted on an adjustable gimbal so the lamp angle can be adjusted. The top is thick solid cast brass. The commercial outdoor lighting application glass lens is flush with the top so water cannot puddle. There is a thick rubber gasket between the top and body of the well light for a water tight seal. The lower canister is completely sealed -- the round lead wire uses a waterproof pressure fitting to insure water cannot enter from the bottom of the well light fixture. We offer a variety of solid cast brass top options for any in ground well lighting application. Install it with our Heavy duty PVC Well Light sleeve which provides a durable housing for all brass In-Ground fixtures.

**PRICE: \$41**



•IGL17B




•IGL18B



•IGL19B

**Specifications & Features:**

- 1, Solid cast brass faceplate
- 2, Corrosion resistant non-metallic canister
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



Light  
Bronze



Lotus LED  
MR16





# Well Light

**PRICE: \$45.50**



IGL20B




IGL21B



IGL22B

## Description:

The IGL20B, IGL21B and IGL22B are all sealed outdoor lighting well lights that use an MR16 lamp. This solid brass In-Ground fixture was designed with hardscape, paver & driveway installation in mind. This fixture has two opening for light to filter through. The integrated LED source with maximum heat dissipation and thermal regulator combination gave our engineers the ability to create a compact fixture. The shroud design illuminates across any application to high light ground level mediums.




Light  
Bronze



Lotus LED  
MR16

## Specifications & Features:

- 1, Solid cast brass faceplate
- 2, Corrosion resistant non-metallic canister
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty







## Underwater Light

### Specifications & Features:

- 1, Solid cast brass
- 2, Specification grade, beryllium copper socket
- 3, Premium grade SEOWW cable
- 4, Waterproof connections
- 5, Submersible in depths up to 3'
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



Light Bronze



Lotus LED  
MR16

**PRICE: \$75**

### Description:

Designed to provide water lighting solutions, the UWL01B is ideal for uplighting a variety of elements, from fountains to waterfalls and rock structures. The die cast brass shroud is a standard accessory, with a tightly sealed clear lens that allows for maximum light output for various beam spread.



# Flood Light



FL28B

• FL28B





## Specifications & Features:


1, Solid cast brass construction 2, Machined brass thumb screw 3, Silicone gasket seal 4, Commercial grade, beryllium copper socket 5, Premium grade direct burial cable 6, Anti-Moisture connections 7, Light bronze standard finish 8, Limited lifetime warranty

## Description:

Our solid brass rectangle shaped Mini Wall Wash is a perfect match to our FL31B, large Wall Wash. Great for any small application where light grazing is needed.



Light Bronze



Lotus LED G4



**PRICE: \$42**




Flood Light

**PRICE: \$40**

**Specifications & Features:**

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Silicone gasket seal
- 4, Specification grade, beryllium copper socket
- 5, Premium grade direct burial cable
- 6, Anti-Moisture connections
- 7, Light bronze standard finish
- 8, Limited lifetime warranty



**Description:**

The FL30B mini wall washer is a powerful fixture. Featuring a compact size die cast brass body, this little power house is able to illuminate planter areas, short retaining walls, step landings or any other areas needing a soft glow



Light Bronze




Lotus LED G4



**PRICE: \$68.50**


**Specifications & Features:**

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Silicone gasket seal
- 4, Commercial grade, beryllium copper socket
- 5, Premium grade direct burial cable
- 6, Anti-Moisture connections
- 7, Light bronze standard finish
- 8, Limited lifetime warranty



**Description:**

Large in size and built heavy. Capable of the most versatile installation applications, the FL31B functions as a wall wash fixture. Ideal for lighting a group of trees, house facades, and signs.



Light Bronze



Lotus LED MR16






Flood Light

**PRICE: \$40**



**Specifications & Features:**

- 1, Solid brass construction
- 2, Machined brass thumb screw
- 3, High temperature lamp retainer
- 4, Premium grade direct burial cable
- 5, Light bronze standard finish
- 6, Limited lifetime warranty




Light Bronze




Lotus LED PAR36

**Description:**

The FL32B is perfect when illuminating trees, tall structures and vast spaces. A lighter grade version of the FL33B without a glass lens. The open structure of this fixture helps with optimizing heat dissipation and maximizing luminous efficiency. waterproof Par 36 LED lamps.



**PRICE: \$62**




**Description:**


A powerful and heavy duty directional uplight, the FL33B is perfectwhen illuminating trees, tall structures and vast spaces.

**Specifications & Features:**

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, High temperature lamp retainer
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



Matte Black



Light Bronze



Lotus LED PAR36



## Path Light

### Specifications & Features:

- 1, Solid brass construction
- 2, Commercial grade, beryllium copper socket
- 3, Premium grade direct burial cable
- 4, Anti-Moisture connections
- 5, Frosted removable borosilicate glass lens
- 6, Light bronze standard finish
- 7, Limited lifetime warranty


**PRICE: \$55**



Light  
Bronze



LED G4



• PL01B



### Description:

The PL10B offers soft level lighting with an elegant look. The frosted cylindrical lens minimizes glare while the Lotus Series LED lamp provides sufficient light to cast a soft glow on any path or walking area. Ideal for lighting walkways, planters, BBQ areas, or any other outdoor living areas.

**PRICE: \$72**

### Specifications & Features:

- 1, Solid brass construction
- 2, Commercial grade, beryllium copper socket
- 3, Premium grade direct burial cable
- 4, Anti-Moisture connections
- 5, Frosted removable borosilicate glass lens
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



Light  
Bronze



LED G4



• PL10B PL10B




Path Light

Specifications & Features:

- 1, Solid cast brass construction
- 2, Specification grade, beryllium copper socket
- 3, Premium grade direct burial cable
- 4, Anti-Moisture connections
- 5, Light bronze standard finish
- 6, Limited lifetime warranty



• PL25B




Light  
Bronze



LED G4

**PRICE: \$80.50**



Description:


Solid brass path light. This durable path light with 90 degree stem and shrouded flood light gives designers the opportunity to direct the pattern to a specific point. Paired with our 4 Watt brass G4 Bi-pin this fixture creates a beautiful high out-putesthetic.

Specifications & Features:

- 1, Solid cast brass construction
- 2, Specification grade, beryllium copper socket
- 3, Premium grade direct burial cable
- 4, Anti-Moisture connections
- 5, Light bronze standard finish
- 6, Limited lifetime warranty



• PL26B




Light Bronze



Lotus LED  
MR16

**PRICE: \$69**

Ø2.2"



Description:



This path and area light combines the tall stem of a path light with the functionality of a spotlight. Perfect for pathways, driveways, and other landscape features.



Path Light

Specifications & Features:

- 1, Solid brass construction
- 2, Specification grade, beryllium copper socket
- 3, Premium grade direct burial cable
- 4, Anti-Moisture connections
- 5, Light bronze standard finish
- 6, Limited lifetime warranty



Light  
Bronze



LED G4



**PRICE: \$69**

Description:


The PL27B features an elegant design pattern on a 7" cylindrical shroud. This aesthetic design combined with our Lotus bulb gives off a unique display of light at night on any pathway, planters, driveways, or any area in need of lighting.

Description:

The PL29B offers soft level lighting with an elegant look. The frosted cylindrical lens minimizes glare while the Lotus Series LED lamp provides sufficient light to cast a soft glow on any path or walking area. It is ideal for lighting planter areas walkways etc.



Matte  
Black



Light  
Bronze



LED G4

**PRICE: \$48**

Specifications & Features:

- 1, Solid brass construction
- 2, High temperature o-ring retention collar provides weather-tight seal
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze / matte black finish
- 7, Limited lifetime warranty



## Path Light

### Specifications & Features:


- 1, Solid brass construction
- 2, High temperature o-ring retention collar provides weather-tight seal
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze / matte black finish
- 7, Limited lifetime warranty



• PL44B




Matte Black



Light  
Bronze



LED G4



**PRICE: \$69**

### Description:


The fixture provides a generous spread of soft-edged illumination ideal for all types of paths and landscape features. Easy to assemble and install. PL44A is made up of aluminum material for a more affordable price, as the PL44B is cast solid brass for a stronger sturdier finish.

### Specifications & Features:

- 1, Solid aluminum construction
- 2, High temperature o-ring retention collar provides weather-tight seal
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Brown standard finish
- 7, Limited lifetime warranty




• PL44A



Brown



LED G4



**PRICE: \$69**

### Description:


The fixture provides a generous spread of soft-edged illumination ideal for all types of paths and landscape features. Easy to assemble and install. PL44A is made up of aluminum material for a more affordable price, as the PL44B is cast solid brass for a stronger sturdier finish.



## Path Light

### Description:

Simple, yet elegant, the PL55B offers soft level lighting. The frosted cylindrical lens minimizes glare while the Lotus Series LED lamp provides sufficient light to cast a soft glow on any path or walking area. Ideal for walkways and planters.



Matte  
Black



Light  
Bronze



LED G4  
LED G4

**PRICE: \$58**

### Specifications & Features:

- 1, Solid brass construction
- 2, High temperature o-ring retention collar provides weather-tight seal
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze / matte black finish
- 7, Limited lifetime warranty

### Description:


The PL76B path light is a sleek modern fixture provides a moderate sized region of illumination to create a pool of soft-edged evenly dispersed light.



• PL76  
PL76B



Matte Black



Light  
Bronze



LED G4  
LED G4

**PRICE: \$65**

### Specifications & Features:

- 1, Solid brass construction
- 2, Polycarbonate shatter-resistant lens
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze / matte black finish
- 7, Limited lifetime warranty



Path Light


**PRICE : \$145**

**Specifications & Features:**

- 1, Solid brass construction
- 2, High temperature o-ring retention collar provides weather-tight seal
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



• PL77B



Light Bronze



LED G4

**Description:**

This oversized brass Tiki Torch fixture stands over 60 inches tall and provides a dual function with area lighting and citronella torch. The Citronella base sits above the light source providing intent repellent while adding a beautiful and effective fixture.


**PRICE : \$72**

**Specifications & Features:**

- 1, Solid brass construction
- 2, Polycarbonate shatter-resistant lens
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



• PL78B



Light Bronze



LED G4

**Description:**

Our PL78B is a solid brass rigged tiki top with an 18 inch stem, composite stake and has a clear glass lens




## Path Light

### Specifications & Features:

**PRICE: \$69**


- 1, Solid brass construction
- 2, High temperature o-ring retention collar provides weather-tight seal
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



### Description:

Our FL79B is a 12 inch smooth round path light hat, with an 18 inch stem and composite stake. This large path light hat is ideal to light any corner in your garden or landscape.

**PRICE: \$45**



### Specifications & Features:

- 1, Solid brass construction
- 2, Polycarbonate shatter-resistant lens
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



## Path Light


**PRICE: \$58**

### Specifications & Features:

- 1, Solid brass construction
- 2, High temperature o-ring retention collar provides weather-tight seal
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty




• PL81B



Light  
Bronze



LED G4




**PRICE: \$75**

### Specifications & Features:

- 1, Solid brass construction
- 2, Commercial grade, beryllium copper socket
- 3, Premium grade direct burial cable
- 4, Anti-Moisture connections
- 5, Frosted removable borosilicate glass lens
- 6, Light bronze standard finish
- 7, Limited lifetime warranty




• PL83B



Light Bronze



LED G4



### Description:

Solid brass smooth triangle path light hat, with 18 inch Stem and composite stake. Striking and contemporary design make this an ideal fixture for the more modern layout.






Deck Light



**PRICE: \$37**

**Specifications & Features:**

- 1, Solid cast brass construction
- 2, Specification grade, beryllium copper socket
- 3, Premium grade direct burial cable
- 4, Anti-Moisture connections
- 5, Bronze standard finish
- 6, Limited lifetime warranty




Bronze



LED G4



. DL01B



**Description:**

The DL01B features an upgraded lock and load shroud allowing installation to be free of exposed screws and other mounting hardware. The compact puck light is perfect for illuminating stairs, benches, posts, and other niche locations.





## Deck Light

**PRICE: \$37**




• DL02B

### Specifications & Features:

- 1, Solid cast brass construction
- 2, Specification grade, beryllium copper socket
- 3, Premium grade direct burial cable
- 4, Anti-Moisture connections
- 5, Light bronze standard finish
- 6, Limited lifetime warranty

### Description:


The DL02B comes with the grille that prevents direct glare for a more pleasant viewing. The compact puck light is perfect for illuminating stairs, benches, posts, and other niche locations.



Light Bronze



LED G4



3.88"



1.63"

**PRICE: \$30**



• DL03B




• DL04B

### Description:

The DL04B and DL03B are classic recessed steplights. Perfect for illuminating stairs, benches, short retaining walls and other niche locations.

### Specifications & Features:

- 1, Solid brass faceplate
- 2, Injection molded housing
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture Connections
- 6, Light Bronze standard finish
- 7, Limited lifetime warranty




Light Bronze



LED G4




Intertek






Hardscape Light

**PRICE: \$45**




HL12B04

**PRICE: \$50**



• HL12B04-R

**PRICE: \$31**



• HL7A03

**Specifications :**

- 1, Wattage: 3W
- 2, Lumen: 300LM
- 3, Operating Range: 9-17V AC/DC
- 4, Length: 7"
- 5, 72" wire
- 6, IP65 Waterproof
- 7, CCT:2700K
- 8, Solid cast aluminum construction

**Features:**

- 1, Self-cooling Device
- 2, Fully Potted Electronics
- 3,10 Year Warranty

**INTEGRATED**

**Specifications :**

- 1, Wattage: 4W
- 2, Lumen: 400LM
- 3, Operating Range: 9-17V AC/DC
- 4, Length: 12"
- 5, 72" wire
- 6, IP65 Waterproof
- 7, CCT:2700K
- 8,Solid cast brass construction

**Features:**

- 1, Fully Potted Electronics
- 2,10 Year Warranty




**Specifications :**

- 1, Wattage: 4W
- 2, Lumen: 400LM
- 3, Operating Range: 9-17V AC/DC
- 4, WiFi & Bluetooth Control
- 5, Length: 12"
- 6, 72" wire
- 7, IP65 Waterproof
- 8, RGB+ CCT Tunable
- 9,Solid cast brass construction

**Features:**

- 1, Fully Potted Electronics
- 2,10 Year Warranty



• HL7A03-R

**PRICE: \$36**



**Specifications :**

- 1, Wattage: 3W
- 2, Lumen: 300LM
- 3, Operating Range: 9-17V AC/DC
- 4, RGB Bluetooth Control
- 5, Length: 7"
- 6, 72" wire
- 7, IP65 Waterproof
- 7, RGB+ CCT Tunable
- 8,Solid cast aluminum construction


**Features:**

- 1, Self-cooling Device
- 2, Fully Potted Electronics
- 3,10 Year Warranty




Hardscape Light

**PRICE: \$40**



• HL12A04

**PRICE: \$45**



• HL12A04-R

**INTEGRATED**

**Specifications :**

- 1, Wattage: 4W
- 2, Lumen: 400LM
- 3, Operating Range: 9-17V AC/DC
- 4, Length: 12"
- 5, 72" wire
- 6, IP65 Waterproof
- 7, CCT:2700K
- 8,Solid cast aluminum construction

**Features:**

- 1, Fully Potted Electronics
- 2,10 Year Warranty

**Specifications :**

- 1, Wattage: 4W
- 2, Lumen: 400LM
- 3, Operating Range: 9-17V AC/DC
- 4, WiFi & Bluetooth Control
- 5, Length: 12"
- 6, 72" wire
- 7, IP65 Waterproof
- 8, RGB+ CCT Tunable
- 9,Solid cast aluminum construction

**Features:**

- 1, Fully Potted Electronics
- 2,10 Year Warranty

**PRICE: \$25**



HL01A

**PRICE: \$32**



HL03A

**Specifications & Features:**

- 1, Stainless steel mounting plates and matching glare guards
- 2, Extruded aluminum for durability
- 3, Integrated LED chips for color consistency and longevity
- 4, LEDs and driver encapsulated in resin for moisture protection
- 5, 10 year warranty
- 6, Length: 1",7"and 13"
- 7, Wattage: 0.5W/1.5W/2.5W

**PRICE: \$27.50**



HL02A


**Description:**

The LED Hardscape Lights are durable, low profile, linear fixtures designed to be easily concealed. They are simple to install and produce an evenly dispersed illumination - without the distracting hot spots seen with lesser quality linear fixtures. Typical applications include mounting under capstones, railings, outdoor kitchen counters and cabinets, benches, and eaves.





## Integrated Fixture




### Specifications

- 1, Wattage: 3W 2, Lumen: 285LM
- 3, Voltage: 9-17V AC/DC
- 4, CCT: 2700K
- 5, CRI: 85
- 6, IP65 Waterproof
- 7, 10 years warranty

### Features:

- Self-cooling Device
- Fully Potted Electronics
- Compact and Exquisite
- Material Solid cast brass construction



Light Bronze

**PRICE: \$26**



## Integrated Fixture


**PRICE: \$28**



• WL02B

### Features:


- Self-cooling Device
- Compact and Exquisite
- Material Solid cast brass construction



Light  
Bronze

### Specifications

- 1, Wattage: 3W
- 2, Lumen: 216LM
- 3, Voltage: 9-17V AC/DC 4, CCT: 2700K
- 5, CRI: 85
- 6, IP65 Waterproof
- 7, 10 years warranty



**PRICE: \$80.50**





• IUL01

### Features:

- Solid cast brass construction -
- Machined brass thumb screw -
- Premium grade direct burial cable -
- Anti-Moisture connections - Light bronze standard finish

### Specifications

- 1, Wattage: 3-12W
- 2, Lumen: 240-840LM
- 3, Voltage: 9-17V AC/DC
- 4, CCT: 2700K 5, CRI: 85
- 6, IP65 Waterproof
- 7, 10 years warranty



Light  
Bronze



Integrated Fixture

Specifications & Features:


- 1, Wattage: 1-5W
- 2, Lumen: 100-500LM
- 3, Beam Spread: 140°
- 4, Input Voltage: 12V AC/DC
- 5, CCT: 2700K
- 6, CRI: 85
- 7, IP65 Waterproof
- 8, 10 years warranty
- 9, Solid cast brass construction



Parts Serviceable


Description:

This integrated flood light fixture comes fully assembled for easy installation. A serviceable LED module has 5 position switches for adjustable lumen output. With its powerful compact size and wide beam angle, this integrated flood light is perfect to project on any wide objects.



**PRICE: \$69**

•IDL01




Description:

An integrated step light fixture with a low profile, eliminating the need of cutting into any surface.

Specifications & Features:

- 1, Wattage: 2W
- 2, Lumen: 200LM
- 3, Input Voltage: 9-17V AC/DC
- 4, CCT: 2700K
- 5, CRI: 85
- 6, IP65 Waterproof
- 7, 10 years warranty
- 8, Solid cast brass construction



**PRICE: \$46**



Integrated Fixture

**PRICE: \$40**



• IDL02B

**PRICE: \$45**





• IDL03B

**Specifications :**

- 1, Wattage: 3/5W
- 2, Lumen: 300/500LM
- 3, Operating Range: 12-24V AC/DC
- 4, Length: 5"/9"
- 5, 72" wire
- 6, IP65 Waterproof
- 7, CCT:2700K
- 8, 10 years warranty

**Features:**

- Solid cast brass construction -
- Machined brass thumb screw -
- Premium grade direct burial cable -
- Anti-Moisture connections -
- Light bronze standard finish



Light Bronze

**PRICE: \$105**



• IPL01



Parts Serviceable

**Description:**

A 5 lb integrated fixture, structured to be one of the heaviest path lights ever made. Its durable sleek design makes it perfect to withstand the outdoor elements without compromising its elegant look. The IPL01 is easy to install, serviceable, and provides a wide spread for all types of paths and landscape features.

**Specifications & Features:**

- 1, Wattage: 5W
- 2, Lumen: 500LM
- 3, Light Spread: 13-16°
- 4, Input Voltage: 9-17V AC/DC
- 5, CCT: 2700K
- 6, CRI: 85
- 7, IP65 Waterproof
- 8, 10 years warranty
- 9, Solid cast brass construction
- 10, Commercial grade, beryllium copper socket



Light Bronze




Integrated Fixture


**PRICE: \$55**

**Specifications & Features:**

- 1, Wattage: 0-12W
- 2, Lens: 24/36/60D
- 3, Voltage: 9-17V AC/DC
- 4, CCT: 2700K
- 5, CRI: 85
- 6, IP67 Waterproof
- 7, 10 years warranty
- 8, Solid cast aluminum construction




Oil Rubbed Bronze




**PRICE: \$60**

**Specifications**

- 1, Wattage: 0-8W
- 2, Color: RGB+CCT
- 3, Lens: 24/36/60D
- 4, Voltage: 9-17V AC/DC
- 5, CCT: 2700K-6000K(Adjustable)
- 6, CRI: 85 7, IP6
- 7 Waterproof
- 8, 10 years warranty 9, Solid cast aluminum construction



Oil Rubbed Bronze




**Features:**

- Bluetooth control available
- RGBWW controlled by smart phone
- Download Tuya APP to change the settings
- Dimmable is available in smart control or manual operation.






Integrated Fixture



• IPL02A

Specifications & Features:

- 1, Adjustable Wattage: 1/2/3W
- 2, Lumen: 80/160/240LM
- 3, Input Voltage: 9-17V AC/DC
- 4, CCT: 2700K
- 5, CRI: 85
- 6, IP65 Waterproof
- 7, 10 years warranty
- 8, Solid cast aluminum construction



Oil Rubbed Bronze


**PRICE: \$35**



• IDL02A



Specifications & Features:

- 1, Adjustable Wattage: 1/2/3W
- 2, Lumen: 80/160/240LM
- 3, Input Voltage: 9-17V AC/DC
- 4, CCT: 2700K
- 5, CRI: 85
- 6, IP65 Waterproof
- 8, 10 years warranty
- 9, Solid cast aluminum construction



Oil Rubbed Bronze

**PRICE: \$26**







Integrated Fixture



• IFL02520



Adjustable CCT & Wattage



Brown

Specifications

- 1, Adjustable Wattage: 0-20W(5/10/15/20W)
- 2, Lumen: 650/1000/1700LM
- 3, Voltage: 9-17V AC/DC
- 4, Adjustable 3CCT:3000K/4000K/5000K
- 5,Beam Spread: 160°
- 6, CRI: 85 7, IP65 Waterproof
- 8, 10 years warranty
- 9, Solid cast aluminum construction

**PRICE: \$55**



Integrated Fixture


Specifications

- 1, Wattage: 7/12/20W
- 2, Lumen: 650/1000/1700LM
- 3, Voltage: 9-17V AC/DC
- 4, CCT: 2700K
- 5, Beam Spread: 160°
- 6, CRI: 85
- 7, IP65 Waterproof
- 8, 10 years warranty
- 9, Solid cast aluminum construction


• IFL0207  
• IFL0212  
IFL0220



**PRICE:**  
**\$42/\$52/\$62**



Brown





• IFL0240



**PRICE: \$75**

Specifications

- 1, Wattage: 40W
- 2, Lumen: 3400LM
- 3, Voltage: 9-17V AC/DC
- 4, CCT: 2700K
- 5, Beam Spread: 160°
- 6, CRI: 85
- 7, IP65 Waterproof
- 8, 10 years warranty
- 9, Solid cast aluminum construction



Brown





Low Voltage



TFP200



**PRICE: \$80**

**Specifications & Features:**

Power: 200W Input: 120VAC,  
50/60Hz Output Voltage: 12/15V AC  
4.33"W x 7.48"H x 4.46"D Fully  
encapsulated EI core Material: PC  
10 Years Warranty On Core Built in  
mechanical timer & photocell  
Overload protection

Built-in  
mechanical  
200 w Timer




## Low Voltage



**PRICE: \$90**

TFP 200-R  
Smart  
Transformer  
200 w



**PRICE: \$100**

TF75  
Built-in  
Timer  
75 w

### Specifications & Features:

Power: 200W Input: 120VAC, 50/60Hz Output Voltage: 12/15V AC 4.33"W x 7.48"H x 4.46"D Fully encapsulated EI core Review power load over the phone  
Smart APP control  
Programmed time setting  
2 zones 2com  
10 Years Warranty On Core  
Material: PC

### Specifications & Features:

Power: 75W Input: 120VAC, 50/60Hz Output Voltage: 12/15V AC Heavy duty 304 stainless steel Stainless steel standard finish  
Limited lifetime warranty



Low Voltage  
Transformer

Specifications & Features:

Power: 150W Input: 120VAC,  
50/60Hz Output Voltage: 12-  
15V AC Heavy duty 304  
stainless steel Stainless steel  
standard finish Limited lifetime  
warranty



TF150



**PRICE: \$175**

Specifications & Features:

Power: 300W Input: 120VAC, 50/60Hz  
Output Voltage: 12-15V AC Two  
commons Heavy duty 304 stainless  
steel Stainless steel standard finish  
Limited lifetime warranty Single Com +  
Single Switch  
12/13/14/15V or 12/15/17/22V  
Dual Com+ Dual Switch  
12/13/14/15V



TF 300

TF600



**PRICE: \$245**

Specifications & Features:

Power: 600W Input: 120VAC, 50/60Hz Output Voltage:  
12/13/14/15/16/17/18/22VAC Two commons Heavy  
duty 304 stainless steel Stainless steel standard finish  
Limited lifetime warranty

304  
600 w  
stainless steel





Low Voltage Transformer



**PRICE: \$395**

TF 900

**Specifications & Features:**

- Power: 900W
- Input: 120VAC, 50/60Hz
- Output Voltage: 12/13/14/15/16/17/18/22VAC
- Three commons
- Heavy duty 304 stainless steel
- Stainless steel standard finish
- Limited lifetime warranty

304  
stainless steel  
900 w



TRANSFORMER ACCESSORIES



A08  
Photocell

**PRICE: \$17**



A11 WiFi  
Socket

**PRICE: \$14**



A07M Mechanical  
Timer

**PRICE: \$14**



A07D  
Digital Timer

**PRICE: \$18**



A14 Low Voltage  
Dimmer

**PRICE: \$120**



A 07 AT  
Astronomical Timer

**PRICE: \$23**



Accessories



A01P2 Plastic Stake



A01P1 Plastic Stake



Brass Stake



A01K PVC Wire Way



A01D PVC + Brass



A04M(MR16)  
A04P(PAR36)  
Hex Louvre Lens



LLC10100/100FT/10/2  
LLC12100/100FT/12/2  
LLC14A10060S/1  
C6100n0n/1e0c0toFrT/16/2



LLC10250/250FT/10/2  
LLC12250/250FT/12/2  
LLC14250/250FT/14/2  
LLC16250/250FT/16/2



LLC10500/500FT/10/2  
LLC12500/500FT/12/2  
LLC14500/500FT/14/2  
LLC16500/500FT/16/2



A06 Wire Connector  
10 to 22 AWG wire 8  
to 22 AWG wire  
6 to 22 AWG wire  
connector



A02 Surface Mount



A02RO Surface Mount



A02RE Surface Mount



A10 Locknut



A02G Gutter Mount



A02D Tree Mount



A05L C



A05 3 3"



A05 7 7"



A051 2 12"



A051 8 18"



A052 4 24"



LED Lights

| ITEM NO. |          | PICTURE   | EQUIVALENT  | DESCRIPTION  | UNIT PRICE |
|----------|----------|---|-------------|--|------------|
| MR16     | LL161    |    | 10W Halogen | 1W, 9-17VAC, 90lm, 2700K/3000K,30/100°, Water Resistant, Thermo Protective           | \$10.50    |
| MR16     | LL162    |    | 10W Halogen | 2W, 9-17VAC, 180lm, 2700K/3000K,30/60/100°, Water Resistant, Thermo Protective       | \$12.00    |
| MR16     | LL164    |    | 20W Halogen | 4W, 9-17VAC, 360lm, 2700K/3000K, 15/30/45/60/100°, Water Resistant,Thermo Protective | \$14.00    |
| MR16     | LL165    |    | 35W Halogen | 5W, 9-17VAC, 450lm, 2700K/3000K, 15/30/45/60/100°, Water Resistant,Thermo Protective | \$15.00    |
| MR16     | LL166    |    | 50W Halogen | 6W, 9-17VAC, 530lm, 2700K/3000K,15/30/45/60/100°, Water Resistant,Thermo Protective  | \$16.00    |
| MR16     | LL166SSC |    | N/A         | Solid State Color Red/Blue/Green 6W,9-17VAC, 45°, Water Resistant,Thermo Protective  | \$22.00    |
| MR16     | LL167    |   | 60W Halogen | 7W, 9-17VAC, 600lm, 2700K/3000K,15/30/45/60/100°, Water Resistant,Thermo Protective  | \$17.00    |
| MR16     | LL168    |  | 70W Halogen | 8W, 9-17VAC, 720lm, 2700K/3000K,15/30/45/60°, Water Resistant,Thermo Protective      | \$20.00    |
| MR16C    | CLL165   |  | 35W Halogen | 5W, 9-17VAC, 450lm, 15/30/45/60° Multiple Lens come with one lampDegrees Switchable  | \$20.00    |
| MR16C    | CLL16CT5 |  | 35W Halogen | 5W, 9-17VAC, 30/45/60°27/30/40/50/60K AdjustableMultiple Lens come with one lamp     | \$15.50    |
| MR16T    | TLL16CT5 |  | 35W Halogen | 5W, 9-17VAC, 45° 27/30/40/50/60K AdjustableBrown Housing,                            | \$14.50    |
| MR16T    | TLL16    |  | 20W Halogen | 4.5W, 9-17VAC, 2700K/3000K, 30/60°,Brown Housing,                                    | \$9.00     |
| MR16T    | TLL16    |  | 35W Halogen | 5.5W, 9-17VAC, 2700K/3000K, 30/60°,Brown Housing,                                    | \$9.50     |

LED Lights

| ITEM NO. |           | PICTURE   | EQUIVALENT   | DESCRIPTION  | UNIT PRICE |
|----------|-----------|---|--------------|--|------------|
| PAR36    | LL366     |    | 35W Halogen  | 6W, 12-24VAC, 590lm, 2700K/3000K, 38/60°, Waterproof, Thermo Protective          | \$30.00    |
| PAR36    | LL3610    |    | 60W Halogen  | 10W, 12-24VAC, 800lm, 2700K/3000K, 38/60°, Waterproof, Thermo Protective         | \$34.00    |
| PAR36    | LL3610SSC |    | N/A          | Solid State Color Red/Blue/Green 10W,12-24VAC, 38° Waterproof, Thermo Protective | \$43.00    |
| PAR36    | LL3613    |    | 80W Halogen  | 13W, 9-17VAC, 1130lm, 2700K/3000K, 38/60°, Waterproof, Thermo Protective         | \$37.00    |
| PAR36    | LL3617    |    | 100W Halogen | 17W, 9-17VAC, 1300lm, 2700K/3000K,38/60°, Waterproof, Thermo Protective          | \$43.00    |
| PAR36C   | CLL3610   |    | 60W Halogen  | 10W, 9-17V AC/DC, 800lm, 2700K, 38°/60°, WaterproofNew Arrival in Dec 2024       | \$34.00    |
| PAR36C   | CLL3613   |   | 80W Halogen  | 13W, 9-17V AC/DC, 1130lm, 2700K, 38°/60°, WaterproofNew Arrival in Dec 2024      | \$37.00    |
| PAR36C   | CLL3617   |  | 100W Halogen | 17W, 9-17V AC/DC, 1300lm, 2700K, 38°/60°, WaterproofNew Arrival in Dec 2024      | \$43.00    |



LED Lights

| ITEM NO. |       | PICTURE   | EQUIVALENT  | DESCRIPTION   | UNIT PRICE |
|----------|-------|---|-------------|---|------------|
| MR11     | LL11  |    | 20W Halogen | 2.5W, 9-17VAC, 180lm, 2700K/3000K, 38/60°                                 | \$10.00    |
| MR8      | LL8   |    | 20W Halogen | 2.5W, 9-17VAC, 160lm, 2700K/3000K, 38/60°                                 | \$10.00    |
| G4       | LL4R  |    | N/A         | 2W, 12VAC, RGB, WiFi/ Bluetooth control Available                         | \$17.00    |
| MR16     | LL16R |   | N/A         | 4.5W, 12VAC, RGBWW, WiFi/ Bluetooth control Available, 45°/60°            | \$25.00    |
| PAR36    | LL36R |  | N/A         | 10W, 12VAC, RGBWW, WiFi/ Bluetooth control Available, 38°/60°, Waterproof | \$50.00    |
| G4       | LL4B2 |  | 20W Halogen | 2W, 9-17VAC, 200lm, 2700K/3000KBrass Construction, Water Resistant        | \$11.00    |
| G4       | LL4B3 |  | 35W Halogen | 3W, 9-17VAC, 300lm, 2700K/3000KBrass Construction, Water Resistant        | \$12.00    |
| G4       | LL4B4 |  | 50W Halogen | 4W, 9-17VAC, 400lm, 2700K/3000KBrass Construction, Water Resistant        | \$13.00    |


LED Lights

| ITEM NO. |       | PICTURE   | EQUIVALENT           | DESCRIPTION   | UNIT PRICE |
|----------|-------|---|----------------------|---|------------|
| G4       | CLL4  |    | 50W Halogen          | 3W 9-17V AC/DC 270lm2700K/3000K/4000K AdjustableCeramic BaseNew Arrival in stock              | \$10.00    |
| G4       | LL4S2 |    | 20W Halogen          | 2W, 9-17VAC, 180lm, 2700K/3000KSilicon Potted, Water Resistant                                | \$8.00     |
| G4       | LL4S3 |    | 50W Halogen          | 3W, 9-17VAC, 270lm, 2700K/3000KSilicon Potted, Water Resistant                                | \$9.00     |
| G4       | LL4S4 |    | 50W Halogen          | 4W, 9-17VAC, 360lm, 2700K/3000KSilicon Potted, Water Resistant                                | \$10.00    |
| G4       | LL4C2 |    | 35W Halogen          | 2W, 9-17VAC, 180lm, 2700K/3000KCeramic Base   | \$8.00     |
| G4       | LL4C3 |  | 50W Halogen          | 3W, 9-17VAC, 270lm, 2700K/3000KCeramic Base   | \$9.00     |
| G4       | LL4C4 |  | 50W Halogen          | 4W, 9-17VAC, 360lm, 2700K/3000KCeramic Base   | \$10.00    |
| WEDGE    | LLW1  |  | 20W HalogenT10, 161  | 1W, 9-17VAC, 100lm, 2700K/3000KBase Dimensions W2.1 x 9.5D mm,Silicon Potted, Water Resistant | \$8.00     |
| WEDGE    | LLW3  |  | 35W HalogenT25, 3156 | 3W, 9-17VAC, 270lm, 2700K/3000KBase Dimensions W3 x 16D mm,Silicon Potted, Water Resistant    | \$9.00     |
| BAYONET  | LLBS1 |  | 20W Halogen          | 1W, 9-17VAC, 100lm, 2700K/3000KSingle Contact, Silicon Potted, Water Resistant                | \$8.00     |
| BAYONET  | LLBS3 |  | 50W Halogen          | 3W, 9-17VAC, 270lm, 2700K/3000KSingle Contact, Silicon Potted, Water Resistant                | \$9.00     |
| BAYONET  | LLBD1 |  | 20W Halogen          | 1W, 9-17VAC, 100lm, 2700K/3000KDouble Contact, Silicon Potted, Water Resistant                | \$8.00     |
| BAYONET  | LLBD3 |  | 50W Halogen          | 3W, 9-17VAC, 270lm, 2700K/3000KDouble Contact, Silicon Potted, Water Resistant                | \$9.00     |





Wire & Cable

| ITEM NO. | PICTURE   | DESCRIPTION                         |          | UNIT PRICE |             |
|----------|---|-------------------------------------|----------|------------|-------------|
| LLC16100 |  | 100ft 16/2 Landscape Lighting Cable | \$35.00  | 4.00       | 100ft/ Roll |
| LLC16250 |   | 250ft 16/2 Landscape Lighting Cable | \$80     | 11.00      | 250ft/ Roll |
| LLC16500 |   | 500ft 16/2 Landscape Lighting Cable | \$160.00 | 21.00      | 500ft/ Roll |
| LLC14100 |   | 100ft 14/2 Landscape Lighting Cable | \$38.00  | 6.00       | 100ft/ Roll |
| LLC14250 |   | 250ft 14/2 Landscape Lighting Cable | \$95.00  | 14.00      | 250ft/ Roll |
| LLC14500 |   | 500ft 14/2 Landscape Lighting Cable | \$190.00 | 28.00      | 500ft/ Roll |
| LLC12100 |   | 100ft 12/2 Landscape Lighting Cable | \$58.00  | 7.00       | 100ft/ Roll |
| LLC12250 |   | 250ft 12/2 Landscape Lighting Cable | \$140.00 | 19.00      | 250ft/ Roll |
| LLC12500 |   | 500ft 12/2 Landscape Lighting Cable | \$280.00 | 35.00      | 500ft/ Roll |
| LLC10100 |   | 100ft 10/2 Landscape Lighting Cable | \$100.00 | 10.00      | 100ft/ Roll |
| LLC10250 |   | 250ft 10/2 Landscape Lighting Cable | \$250.00 | 27.00      | 250ft/ Roll |
| LLC10500 |   | 500ft 10/2 Landscape Lighting Cable | \$500.00 | 53.00      | 500ft/ Roll |