



2025 OUTDOOR LIGHTING PRODUCTS PRICE LIST

INNOVATIVE, MODERN, DURABLE, SOPHISTICATED
STYLISH, EXCEPTIONAL QUALITY

- 561-900-7155
- sales@turfusa.com
- turfusa.com



2025 OUTDOOR LIGHTING PRODUCTS PRICE LIST

INNOVATIVE, MODERN, DURABLE, SOPHISTICATED
STYLISH, EXCEPTIONAL QUALITY

- 561-900-7155
- sales@turfusa.com
- turfusa.com






TABLE OF CONTENTS

UP LIGHTS	3-8	PATH LIGHTS	19-26
DOWN LIGHTS	9	DECK LIGHTS	27-28
WALL LIGHTS	10	HARDSCAPE LIGHTS	29-31
PANDENT LIGHTS	11	INTEGRATED FIXTURES	32-39
WELL LIGHTS	12-14	LOW VOLTAGE TRANSFORMERS	40-43
UNDERWATER LIGHTS	15	ACCESSORIES	44-47
FLOOD LIGHTS	16-18		

Up Light


Specifications & Features:

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze/ matte black standard finish
- 7, Limited lifetime warranty

PRICE: \$32




Matte Black



Light Bronze



Lotus LED MR16



Description:




The AL01B is a powerful yet compact up light, designed to perform with drop-in LEDs. Its compact design eliminates the wasted space required in traditional halogen fixtures. Constructed from solid brass, this CNC-machined fixture is the perfect accent for any landscape.

Up Light

PRICE: \$48

Specifications & Features:

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze/ matte black standard finish
- 7, Fixed socket / spring socket
- 8, Limited lifetime warranty




Description:

One of our most popular up lights, this fixture offers both style and function without compromise. Constructed from heavy-duty solid brass with an elegant Antique Bronze finish, it is designed to seamlessly blend into any landscape. Its sleek, straight lines and lock-and-load shroud feature make it an essential fixture for lighting queen palms, trees, columns, or any other tall structure.

Specifications & Features:

- 1, Solid cast aluminum construction
- 2, Machined aluminum thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Brown standard finish
- 7, Limited lifetime warranty




PRICE: \$48

•AL02A




Description:

One of our most popular up lights, it offers style and function without compromise. Heavy duty, solid aluminum with a brown finish gives this fixture the perfect design to blend in with any landscape environment. Its sleek straight lines, lock and load shroud feature make it an essential fixture when lighting queen palms, trees, columns, or any other tall structure.



Up Light

PRICE: \$48



- 72"inch wire lead
- IP 65
- Uniform Finish
- MR16 fixture

Description:


The AL03B is designed for up lighting applications and features a fully adjustable glare guard and knuckles. The glare guard helps prevent light from entering unwanted areas, such as windows, high-traffic zones, walkways, or roadways.

Specifications & Features:


- 1, Solid cast brass construction
- 2, Specification grade, beryllium copper socket
- 3, Adjustable glare guard
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze/ matte black standard finish
- 7, Limited lifetime warranty



PRICE: \$36



- 72"inch wire lead
- IP 65
- Uniform Finish
- MR16 fixture



Specifications & Features:

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty

Up Light




PRICE: \$27.50

Specifications :

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



• AL06B



Light Bronze



Lotus LED MR16

72"inch
wire lead

IP 65

Uniform
Finish


MR16
fixture

Specifications & Features:



- 1, Wattage: 8W
- 2, Lumen: 500LM
- 3, Voltage: 9-17V AC/DC
- 4, CCT: 2700K -6000K(adjustable)
- 5, CRI: 80
- 6, IP: 65
- 7, Warranty: 5 years 8, Solid cast brass construction



STB01B




Light Bronze



PRICE: \$62

Up Light

PRICE: \$42



Description:

The AL07B is designed for up lighting applications, features a fully adjustable glare guard and knuckles. The glare guard enables you to prevent light from entering unwanted areas like windows of structures or high traffic areas like walkways or roadways.

Specifications & Features:

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Adjustable glare guard
- 5, Premium grade direct burial cable
- 6, Anti-Moisture connections
- 7, Light bronze standard finish
- 8, Limited lifetime warranty



Specifications & Features:



PRICE: \$34

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



Description:

This mini MR11 spotlight is to place in garden planters, small garden beds, and other niche areas. A removable and adjustable glare shield allows the installer to precisely control the light so it can reduce direct glare for a more pleasant viewing experience.



Up Light

PRICE: \$33




Description:

This mini MR8 spotlight is to place in garden planters, small garden beds, and other niche areas. A removeable and adjustable glare shield allows the installer to precisely control the light so it can reduce direct glare for a more pleasant viewing experience.

Specifications & Features:

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Adjustable glare guard
- 5, Premium grade direct burial cable
- 6, Anti-Moisture connections
- 7, Light bronze standard finish
- 8, Limited lifetime warranty



Light Bronze



Lotus LED MR8



PRICE: \$48




Description:

The AL15B comes with a long glare guard, it offers style and function without compromise. Its sleek straight lines, lock and load shroud feature make it an essential fixture when lighting queen palms, trees, columns, or any other tall structure.



Specifications & Features:

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Fixed socket / spring socket
- 8, Limited lifetime warranty




Light Bronze



Lotus LED MR16



PRICE: \$52




Description:

This solid brass downlight with Y mount bracket is great for any lighting application. The side entry point for the wire and socket allow this fixture to become fully waterproof and has a standard clear lens. Fully adjustable stem which allows you to maximize the angles. Paired with our Lotus MR16 100 degree, you can create countless moonlight settings.

Specifications & Features:

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



Light Bronze





Lotus LED MR16

Wall Light



PRICE: \$60

WL01B




Description:
Solid brass wall sconce with dual MR16 options. Great for pool enclosures or Lanai areas. The rectangle mounting plate gives a sleek architectural appearance.

- Specifications & Features:**
- 1, Solid cast brass construction
 - 2, Specification grade, beryllium copper socket
 - 3, Premium grade direct burial cable
 - 4, Anti-Moisture connections
 - 5, Light bronze/ matte black standard finish
 - 6, Limited lifetime warranty



Matte Black



Light Bronze



Lotus LED
MR16

Pendent Light




PRICE: \$36



•RL01B




•RL03B



Specifications & Features:

- 1, Solid cast brass construction
- 2, Specification grade, beryllium copper socket
- 3, Premium grade direct burial cable
- 4, Anti-Moisture connections
- 5, Light bronze standard finish
- 6, Limited lifetime warranty



Light
Bronze



Lotus LED MR16

Well Light

PRICE: \$50



• IGL06B


PRICE: \$



• IGL07B


Specifications & Features:

- 1, Solid cast brass and composite construction
- 2, High temperature lamp retainer
- 3, PAR36 screw terminal lamp connection
- 4, Premium grade direct burial cable
- 5, Light bronze standard finish
- 6, Limited lifetime warranty



Description:

Our In-Ground light series offers a composite PAR36 well light with an angled brass cover with glass lens. The stainless steel Gimbal allows you to pivot our Lotus PAR36 bulb for maximum exposure. Included is a 72" foot wire lead with fork terminals for easy installation.



Light Bronze



Lotus LED PAR36

PRICE: \$35



IGL08B


PRICE: \$46



IGL09B

Specifications & Features:

- 1, Solid cast brass and composite construction
- 2, Stainless steel inner layer
- 3, High temperature silicone o-rings
- 4, Specification grade, beryllium copper socket
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



Light Bronze



Lotus LED MR16

Description:

A highly versatile In-Ground fixture in our IGL series, this small MR16 well light can be used in garden settings along with paver and hard scape installations. This well light comes with a spring loaded socket, allowing the Lotus MR16 to press firmly against the glass which offers a more significant beam spread. The fully gasketted stainless steel body and decorative brass ring allows this mini well light to match the landscape lighting design esthetic.

Well Light

PRICE: \$41



•IGL16B

Description:

The IGL16B, IGL17B, IGL18B and IGL19B are all sealed outdoor lighting well lights that use an MR16 lamp. The socket is mounted on an adjustable gimbal so the lamp angle can be adjusted. The top is thick solid cast brass. The commercial outdoor lighting application glass lens is flush with the top so water cannot puddle. There is a thick rubber gasket between the top and body of the well light for a water tight seal. The lower canister is completely sealed -- the round lead wire uses a waterproof pressure fitting to insure water cannot enter from the bottom of the well light fixture. We offer a variety of solid cast brass top options for any in ground well lighting application. Install it with our Heavy duty PVC Well Light sleeve which provides a durable housing for all brass In-Ground fixtures.

PRICE: \$41



•IGL17B




•IGL18B



•IGL19B

Specifications & Features:

- 1, Solid cast brass faceplate
- 2, Corrosion resistant non-metallic canister
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



Light
Bronze



Lotus LED
MR16



Well Light

PRICE: \$45.50



IGL20B




IGL21B



IGL22B

Description:


The IGL20B, IGL21B and IGL22B are all sealed outdoor lighting well lights that use an MR16 lamp. This solid brass In-Ground fixture was designed with hardscape, paver & driveway installation in mind. This fixture has two opening for light to filter through. The integrated LED source with maximum heat dissipation and thermal regulator combination gave our engineers the ability to create a compact fixture. The shroud design illuminates across any application to high light ground level mediums.



Light
Bronze



Lotus LED
MR16




Specifications & Features:

- 1, Solid cast brass faceplate
- 2, Corrosion resistant non-metallic canister
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty


Underwater Light

Specifications & Features:

- 1, Solid cast brass
- 2, Specification grade, beryllium copper socket
- 3, Premium grade SEOWW cable
- 4, Waterproof connections
- 5, Submersible in depths up to 3'
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



•UWL01B



Light Bronze



Lotus LED
MR16

PRICE: \$75

Description:

Designed to provide water lighting solutions, the UWL01B is ideal for uplighting a variety of elements, from fountains to waterfalls and rock structures. The die cast brass shroud is a standard accessory, with a tightly sealed clear lens that allows for maximum light output for various beam spread.

Flood Light



FL28B

• FL28B





Specifications & Features:

1, Solid cast brass construction 2, Machined brass thumb screw 3, Silicone gasket seal 4, Commercial grade, beryllium copper socket 5, Premium grade direct burial cable 6, Anti-Moisture connections 7, Light bronze standard finish 8, Limited lifetime warranty

Description:

Our solid brass rectangle shaped Mini Wall Wash is a perfect match to our FL31B, large Wall Wash. Great for any small application where light grazing is needed.



Light Bronze



Lotus LED G4




PRICE: \$42

Flood Light

PRICE: \$40


Specifications & Features:

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Silicone gasket seal
- 4, Specification grade, beryllium copper socket
- 5, Premium grade direct burial cable
- 6, Anti-Moisture connections
- 7, Light bronze standard finish
- 8, Limited lifetime warranty



Description:

The FL30B mini wall washer is a powerful fixture. Featuring a compact size die cast brass body, this little power house is able to illuminate planter areas, short retaining walls, step landings or any other areas needing a soft glow



Light
Bronze




Lotus LED
G4



PRICE: \$68.50


Specifications & Features:

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, Silicone gasket seal
- 4, Commercial grade, beryllium copper socket
- 5, Premium grade direct burial cable
- 6, Anti-Moisture connections
- 7, Light bronze standard finish
- 8, Limited lifetime warranty



Description:

Large in size and built heavy. Capable of the most versatile installation applications, the FL31B functions as a wall wash fixture. Ideal for lighting a group of trees, house facades, and signs.



Light
Bronze



Lotus LED
MR16




Flood Light

PRICE: \$40



Specifications & Features:

- 1, Solid brass construction
- 2, Machined brass thumb screw
- 3, High temperature lamp retainer
- 4, Premium grade direct burial cable
- 5, Light bronze standard finish
- 6, Limited lifetime warranty




Light Bronze




Lotus LED PAR36

Description:

The FL32B is perfect when illuminating trees, tall structures and vast spaces. A lighter grade version of the FL33B without a glass lens. The open structure of this fixture helps with optimizing heat dissipation and maximizing luminous efficiency. waterproof Par 36 LED lamps.



PRICE: \$62



Description:


A powerful and heavy duty directional uplight, the FL33B is perfect when illuminating trees, tall structures and vast spaces.

Specifications & Features:

- 1, Solid cast brass construction
- 2, Machined brass thumb screw
- 3, High temperature lamp retainer
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



Matte Black



Light Bronze



Lotus LED PAR36

Path Light


Specifications & Features:

- 1, Solid brass construction
- 2, Commercial grade, beryllium copper socket
- 3, Premium grade direct burial cable
- 4, Anti-Moisture connections
- 5, Frosted removable borosilicate glass lens
- 6, Light bronze standard finish
- 7, Limited lifetime warranty

PRICE: \$55



• PL01B



Light
Bronze



LED G4



Description:

The PL10B offers soft level lighting with an elegant look. The frosted cylindrical lens minimizes glare while the Lotus Series LED lamp provides sufficient light to cast a soft glow on any path or walking area. Ideal for lighting walkways, planters, BBQ areas, or any other outdoor living areas.


PRICE: \$72



• PL10B PL10B

Specifications & Features:

- 1, Solid brass construction
- 2, Commercial grade, beryllium copper socket
- 3, Premium grade direct burial cable
- 4, Anti-Moisture connections
- 5, Frosted removable borosilicate glass lens
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



Light
Bronze



LED G4


Path Light

Specifications & Features:

- 1, Solid cast brass construction
- 2, Specification grade, beryllium copper socket
- 3, Premium grade direct burial cable
- 4, Anti-Moisture connections
- 5, Light bronze standard finish
- 6, Limited lifetime warranty



• PL25B




Light
Bronze



LED G4

PRICE: \$80.50



Description:


Solid brass path light. This durable path light with 90 degree stem and shrouded flood light gives designers the opportunity to direct the pattern to a specific point. Paired with our 4 Watt brass G4 Bi-pin this fixture creates a beautiful high out-put aesthetic.

Specifications & Features:

- 1, Solid cast brass construction
- 2, Specification grade, beryllium copper socket
- 3, Premium grade direct burial cable
- 4, Anti-Moisture connections
- 5, Light bronze standard finish
- 6, Limited lifetime warranty



• PL26B




Light Bronze



Lotus LED
MR16

PRICE: \$69





Description:

This path and area light combines the tall stem of a path light with the functionality of a spotlight. Perfect for pathways, driveways, and other landscape features.

Path Light

Specifications & Features:

- 1, Solid brass construction
- 2, Specification grade, beryllium copper socket
- 3, Premium grade direct burial cable
- 4, Anti-Moisture connections
- 5, Light bronze standard finish
- 6, Limited lifetime warranty



PRICE: \$69

Description:

The PL27B features an elegant design pattern on a 7" cylindrical shroud. This aesthetic design combined with our Lotus bulb gives off a unique display of light at night on any pathway, planters, driveways, or any area in need of lighting.

Description:

The PL29B offers soft level lighting with an elegant look. The frosted cylindrical lens minimizes glare while the Lotus Series LED lamp provides sufficient light to cast a soft glow on any path or walking area. It is ideal for lighting planter areas walkways etc.



PRICE: \$48

Specifications & Features:

- 1, Solid brass construction
- 2, High temperature o-ring retention collar provides weather-tight seal
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze / matte black finish
- 7, Limited lifetime warranty

Path Light

Specifications & Features:


- 1, Solid brass construction
- 2, High temperature o-ring retention collar provides weather-tight seal
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze / matte black finish
- 7, Limited lifetime warranty



• PL44B




Matte Black



Light
Bronze



LED G4



PRICE: \$69

Description:


The fixture provides a generous spread of soft-edged illumination ideal for all types of paths and landscape features. Easy to assemble and install. PL44A is made up of aluminum material for a more affordable price, as the PL44B is cast solid brass for a stronger sturdier finish.

Specifications & Features:

- 1, Solid aluminum construction
- 2, High temperature o-ring retention collar provides weather-tight seal
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Brown standard finish
- 7, Limited lifetime warranty




• PL44A



Brown



LED G4



PRICE: \$69


Description:

The fixture provides a generous spread of soft-edged illumination ideal for all types of paths and landscape features. Easy to assemble and install. PL44A is made up of aluminum material for a more affordable price, as the PL44B is cast solid brass for a stronger sturdier finish.


Path Light

Description:

Simple, yet elegant, the PL55B offers soft level lighting. The frosted cylindrical lens minimizes glare while the Lotus Series LED lamp provides sufficient light to cast a soft glow on any path or walking area. Ideal for walkways and planters.



Matte
Black



Light
Bronze



LED G4
LED G4

PRICE: \$58

Specifications & Features:


- 1, Solid brass construction
- 2, High temperature o-ring retention collar provides weather-tight seal
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze / matte black finish
- 7, Limited lifetime warranty

Description:

The PL76B path light is a sleek modern fixture provides a moderate sized region of illumination to create a pool of soft-edged evenly dispersed light.



Matte Black



Light
Bronze



LED G4
LED G4

PRICE: \$65

Specifications & Features:

- 1, Solid brass construction
- 2, Polycarbonate shatter-resistant lens
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze / matte black finish
- 7, Limited lifetime warranty

Path Light



PRICE : \$145

Specifications & Features:

- 1, Solid brass construction
- 2, High temperature o-ring retention collar provides weather-tight seal
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



• PL77B



Light Bronze



LED G4

Description:

This oversized brass Tiki Torch fixture stands over 60 inches tall and provides a dual function with area lighting and citronella torch. The Citronella base sits above the light source providing intent repellent while adding a beautiful and effective fixture.


PRICE : \$72

Specifications & Features:

- 1, Solid brass construction
- 2, Polycarbonate shatter-resistant lens
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



• PL78B



Light Bronze



LED G4

Description:


Our PL78B is a solid brass rigged tiki top with an 18 inch stem, composite stake and has a clear glass lens

Path Light

Specifications & Features:

PRICE: \$69


- 1, Solid brass construction
- 2, High temperature o-ring retention collar provides weather-tight seal
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty



Description:

Our FL79B is a 12 inch smooth round path light hat, with an 18 inch stem and composite stake. This large path light hat is ideal to light any corner in your garden or landscape.

PRICE: \$45



Specifications & Features:

- 1, Solid brass construction
- 2, Polycarbonate shatter-resistant lens
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty

Path Light


PRICE: \$58

Specifications & Features:

- 1, Solid brass construction
- 2, High temperature o-ring retention collar provides weather-tight seal
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture connections
- 6, Light bronze standard finish
- 7, Limited lifetime warranty




• PL81B



Light
Bronze



LED G4




PRICE: \$75

Specifications & Features:

- 1, Solid brass construction
- 2, Commercial grade, beryllium copper socket
- 3, Premium grade direct burial cable
- 4, Anti-Moisture connections
- 5, Frosted removable borosilicate glass lens
- 6, Light bronze standard finish
- 7, Limited lifetime warranty




• PL83B



Light Bronze



LED G4



Description:

Solid brass smooth triangle path light hat, with 18 inch Stem and composite stake. Striking and contemporary design make this an ideal fixture for the more modern layout.

Deck Light



PRICE: \$37

Specifications & Features:

- 1, Solid cast brass construction
- 2, Specification grade, beryllium copper socket
- 3, Premium grade direct burial cable
- 4, Anti-Moisture connections
- 5, Bronze standard finish
- 6, Limited lifetime warranty




Bronze



LED G4



. DL01B



Description:

The DL01B features an upgraded lock and load shroud allowing installation to be free of exposed screws and other mounting hardware. The compact puck light is perfect for illuminating stairs, benches, posts, and other niche locations.



Deck Light

PRICE: \$37




• DL02B

Specifications & Features:

- 1, Solid cast brass construction
- 2, Specification grade, beryllium copper socket
- 3, Premium grade direct burial cable
- 4, Anti-Moisture connections
- 5, Light bronze standard finish
- 6, Limited lifetime warranty

Description:


The DL02B comes with the grille that prevents direct glare for a more pleasant viewing. The compact puck light is perfect for illuminating stairs, benches, posts, and other niche locations.



Light Bronze



LED G44



3.88"



1.63"

PRICE: \$30



• DL03B

PRICE: \$41




• DL04B

Description:

The DL04B and DL03B are classic recessed steplights. Perfect for illuminating stairs, benches, short retaining walls and other niche locations.

Specifications & Features:

- 1, Solid brass faceplate
- 2, Injection molded housing
- 3, Specification grade, beryllium copper socket
- 4, Premium grade direct burial cable
- 5, Anti-Moisture Connections
- 6, Light Bronze standard finish
- 7, Limited lifetime warranty




Light Bronze



LED G44




Intertek




Hardscape Light

PRICE: \$45



HL12B04

PRICE: \$50



• HL12B04-R

PRICE: \$31



• HL7A03

Specifications :

- 1, Wattage: 3W
- 2, Lumen: 300LM
- 3, Operating Range: 9-17V AC/DC
- 4, Length: 7"
- 5, 72" wire
- 6, IP65 Waterproof
- 7, CCT:2700K
- 8, Solid cast aluminum construction

Features:

- 1, Self-cooling Device
- 2, Fully Potted Electronics
- 3,10 Year Warranty

INTEGRATED

Specifications :

- 1, Wattage: 4W
- 2, Lumen: 400LM
- 3, Operating Range: 9-17V AC/DC
- 4, Length: 12"
- 5, 72" wire
- 6, IP65 Waterproof
- 7, CCT:2700K
- 8,Solid cast brass construction

Features:

- 1, Fully Potted Electronics
- 2,10 Year Warranty




Specifications :

- 1, Wattage: 4W
- 2, Lumen: 400LM
- 3, Operating Range: 9-17V AC/DC
- 4, WiFi & Bluetooth Control
- 5, Length: 12"
- 6, 72" wire
- 7, IP65 Waterproof
- 8, RGB+ CCT Tunable
- 9,Solid cast brass construction

Features:

- 1, Fully Potted Electronics
- 2,10 Year Warranty



• HL7A03-R

PRICE: \$36



Specifications :


- 1, Wattage: 3W
- 2, Lumen: 300LM
- 3, Operating Range: 9-17V AC/DC
- 4, RGB Bluetooth Control
- 5, Length: 7"
- 6, 72" wire
- 7, IP65 Waterproof
- 7, RGB+ CCT Tunable
- 8,Solid cast aluminum construction

Features:

- 1, Self-cooling Device
- 2, Fully Potted Electronics
- 3,10 Year Warranty


Hardscape Light

PRICE: \$40



• HL12A04

PRICE: \$45



• HL12A04-R

INTEGRATED

Specifications :

- 1, Wattage: 4W
- 2, Lumen: 400LM
- 3, Operating Range: 9-17V AC/DC
- 4, Length: 12"
- 5, 72" wire
- 6, IP65 Waterproof
- 7, CCT:2700K
- 8,Solid cast aluminum construction

Features:

- 1, Fully Potted Electronics
- 2,10 Year Warranty

Specifications :

- 1, Wattage: 4W
- 2, Lumen: 400LM
- 3, Operating Range: 9-17V AC/DC
- 4, WiFi & Bluetooth Control
- 5, Length: 12"
- 6, 72" wire
- 7, IP65 Waterproof
- 8, RGB+ CCT Tunable
- 9,Solid cast aluminum construction

Features:

- 1, Fully Potted Electronics
- 2,10 Year Warranty

PRICE: \$25



HL01A

PRICE: \$32



HL03A

Specifications & Features:

- 1, Stainless steel mounting plates and matching glare guards
- 2, Extruded aluminum for durability
- 3, Integrated LED chips for color consistency and longevity
- 4, LEDs and driver encapsulated in resin for moisture protection
- 5, 10 year warranty
- 6, Length: 1",7"and 13"
- 7, Wattage: 0.5W/1.5W/2.5W

PRICE: \$27.50




HL02A

Description:

The LED Hardscape Lights are durable, low profile, linear fixtures designed to be easily concealed. They are simple to install and produce an evenly dispersed illumination - without the distracting hot spots seen with lesser quality linear fixtures. Typical applications include mounting under capstones, railings, outdoor kitchen counters and cabinets, benches, and eaves.



Integrated Fixture




Specifications

- 1, Wattage: 3W 2, Lumen: 285LM
- 3, Voltage: 9-17V AC/DC
- 4, CCT: 2700K
- 5, CRI: 85
- 6, IP65 Waterproof
- 7, 10 years warranty

Features:

- Self-cooling Device
- Fully Potted Electronics
- Compact and Exquisite
- Material Solid cast brass construction



Light Bronze

PRICE: \$26

Integrated Fixture


PRICE: \$28



• WL02B

Features:


- Self-cooling Device
- Compact and Exquisite
- Material Solid cast brass construction



Light
Bronze

Specifications

- 1, Wattage: 3W
- 2, Lumen: 216LM
- 3, Voltage: 9-17V AC/DC 4, CCT: 2700K
- 5, CRI: 85
- 6, IP65 Waterproof
- 7, 10 years warranty



PRICE: \$80.50





• IUL01

Features:

- Solid cast brass construction -
- Machined brass thumb screw -
- Premium grade direct burial cable -
- Anti-Moisture connections - Light bronze standard finish

Specifications

- 1, Wattage: 3-12W
- 2, Lumen: 240-840LM
- 3, Voltage: 9-17V AC/DC
- 4, CCT: 2700K 5, CRI: 85
- 6, IP65 Waterproof
- 7, 10 years warranty



Light
Bronze

Integrated Fixture

Specifications & Features:


- 1, Wattage: 1-5W
- 2, Lumen: 100-500LM
- 3, Beam Spread: 140°
- 4, Input Voltage: 12V AC/DC
- 5, CCT: 2700K
- 6, CRI: 85
- 7, IP65 Waterproof
- 8, 10 years warranty
- 9, Solid cast brass construction



Parts Serviceable


Description:

This integrated flood light fixture comes fully assembled for easy installation. A serviceable LED module has 5 position switches for adjustable lumen output. With its powerful compact size and wide beam angle, this integrated flood light is perfect to project on any wide objects.



PRICE: \$69

•IDL01




Description:

An integrated step light fixture with a low profile, eliminating the need of cutting into any surface.

Specifications & Features:

- 1, Wattage: 2W
- 2, Lumen: 200LM
- 3, Input Voltage: 9-17V AC/DC
- 4, CCT: 2700K
- 5, CRI: 85
- 6, IP65 Waterproof
- 7, 10 years warranty
- 8, Solid cast brass construction



PRICE: \$46

Integrated Fixture

PRICE: \$40



• IDL02B

PRICE: \$45





• IDL03B

Specifications :

- 1, Wattage: 3/5W
- 2, Lumen: 300/500LM
- 3, Operating Range: 12-24V AC/DC
- 4, Length: 5"/9"
- 5, 72" wire
- 6, IP65 Waterproof
- 7, CCT:2700K
- 8, 10 years warranty

Features:

- Solid cast brass construction -
- Machined brass thumb screw -
- Premium grade direct burial cable -
- Anti-Moisture connections -
- Light bronze standard finish



Light Bronze

PRICE: \$105



• IPL01



Parts Serviceable

Description:

A 5 lb integrated fixture, structured to be one of the heaviest path lights ever made. Its durable sleek design makes it perfect to withstand the outdoor elements without compromising its elegant look. The IPL01 is easy to install, serviceable, and provides a wide spread for all types of paths and landscape features.

Specifications & Features:

- 1, Wattage: 5W
- 2, Lumen: 500LM
- 3, Light Spread: 13-16°
- 4, Input Voltage: 9-17V AC/DC
- 5, CCT: 2700K
- 6, CRI: 85
- 7, IP65 Waterproof
- 8, 10 years warranty
- 9, Solid cast brass construction
- 10, Commercial grade, beryllium copper socket



Light Bronze

Integrated Fixture


PRICE: \$55

Specifications & Features:

- 1, Wattage: 0-12W
- 2, Lens: 24/36/60D
- 3, Voltage: 9-17V AC/DC
- 4, CCT: 2700K
- 5, CRI: 85
- 6, IP67 Waterproof
- 7, 10 years warranty
- 8, Solid cast aluminum construction



Oil Rubbed Bronze



PRICE: \$60

Specifications


- 1, Wattage: 0-8W
- 2, Color: RGB+CCT
- 3, Lens: 24/36/60D
- 4, Voltage: 9-17V AC/DC
- 5, CCT: 2700K-6000K(Adjustable)
- 6, CRI: 85 7, IP6
- 7 Waterproof
- 8, 10 years warranty 9, Solid cast aluminum construction



Oil Rubbed Bronze

Features:

- Bluetooth control available
- RGBWW controlled by smart phone
- Download Tuya APP to change the settings
- Dimmable is available in smart control or manual operation.




Integrated Fixture



• IPL02A

Specifications & Features:

- 1, Adjustable Wattage: 1/2/3W
- 2, Lumen: 80/160/240LM
- 3, Input Voltage: 9-17V AC/DC
- 4, CCT: 2700K
- 5, CRI: 85
- 6, IP65 Waterproof
- 7, 10 years warranty
- 8, Solid cast aluminum construction



Oil Rubbed Bronze



PRICE: \$35



• IDL02A



Specifications & Features:

- 1, Adjustable Wattage: 1/2/3W
- 2, Lumen: 80/160/240LM
- 3, Input Voltage: 9-17V AC/DC
- 4, CCT: 2700K
- 5, CRI: 85
- 6, IP65 Waterproof
- 8, 10 years warranty
- 9, Solid cast aluminum construction



Oil Rubbed Bronze

PRICE: \$26





Integrated Fixture



• IFL02520



Adjustable CCT & Wattage



Brown

Specifications

- 1, Adjustable Wattage: 0-20W(5/10/15/20W)
- 2, Lumen: 650/1000/1700LM
- 3, Voltage: 9-17V AC/DC
- 4, Adjustable 3CCT:3000K/4000K/5000K
- 5,Beam Spread: 160°
- 6, CRI: 85 7, IP65 Waterproof
- 8, 10 years warranty
- 9, Solid cast aluminum construction

PRICE: \$55

Integrated Fixture


Specifications

- 1, Wattage: 7/12/20W
- 2, Lumen: 650/1000/1700LM
- 3, Voltage: 9-17V AC/DC
- 4, CCT: 2700K
- 5, Beam Spread: 160°
- 6, CRI: 85
- 7, IP65 Waterproof
- 8, 10 years warranty
- 9, Solid cast aluminum construction



• IFL0207
• IFL0212
IFL0220



PRICE:
\$42/\$52/\$62



Brown





• IFL0240



PRICE: \$75

Specifications

- 1, Wattage: 40W
- 2, Lumen: 3400LM
- 3, Voltage: 9-17V AC/DC
- 4, CCT: 2700K
- 5, Beam Spread: 160°
- 6, CRI: 85
- 7, IP65 Waterproof
- 8, 10 years warranty
- 9, Solid cast aluminum construction



Brown



Low Voltage



TFP200



PRICE: \$80

Specifications & Features:

Power: 200W Input: 120VAC,
50/60Hz Output Voltage: 12/15V AC
4.33"W x 7.48"H x 4.46"D Fully
encapsulated EI core Material: PC
10 Years Warranty On Core Built in
mechanical timer & photocell
Overload protection

Built-in
mechanical
200 w Timer

Low Voltage



PRICE: \$90

TFP 200-R
Smart
Transformer
200 w



Specifications & Features:

Power: 200W Input: 120VAC, 50/60Hz Output Voltage:
12/15V AC 4.33"W x 7.48"H x 4.46"D Fully
encapsulated EI core Review power load over the
phone
Smart APP control
Programmed time setting
2 zones 2com
10 Years Warranty On Core
Material: PC

PRICE: \$100

TF75
Built-in
Timer
75 w



Specifications & Features:

Power: 75W Input: 120VAC, 50/60Hz
Output Voltage: 12/15V AC Heavy duty
304 stainless steel Stainless steel
standard finish
Limited lifetime warranty

Low Voltage Transformer

Specifications & Features:

Power: 150W Input: 120VAC, 50/60Hz Output Voltage: 12-15V AC Heavy duty 304 stainless steel Stainless steel standard finish Limited lifetime warranty



TF150



PRICE: \$175

Specifications & Features:

Power: 300W Input: 120VAC, 50/60Hz Output Voltage: 12-15V AC Two commons Heavy duty 304 stainless steel Stainless steel standard finish Limited lifetime warranty Single Com + Single Switch 12/13/14/15V or 12/15/17/22V Dual Com+ Dual Switch 12/13/14/15V



TF 300

TF600



PRICE: \$245

Specifications & Features:

Power: 600W Input: 120VAC, 50/60Hz Output Voltage: 12/13/14/15/16/17/18/22VAC Two commons Heavy duty 304 stainless steel Stainless steel standard finish Limited lifetime warranty

304

600 w

stainless steel



Low Voltage Transformer



PRICE: \$395

TF 900

Specifications & Features:

- Power: 900W
- Input: 120VAC, 50/60Hz
- Output Voltage: 12/13/14/15/16/17/18/22VAC
- Three commons
- Heavy duty 304 stainless steel
- Stainless steel standard finish
- Limited lifetime warranty

304
stainless steel
900 w



TRANSFORMER ACCESSORIES



A08
Photocell

PRICE: \$17



A11 WiFi
Socket

PRICE: \$14



A07M Mechanical
Timer

PRICE: \$14



A07D
DigitalTimer

PRICE: \$18



A14 Low Voltage
Dimmer

PRICE: \$120



A 07 AT
Astronomical Timer

PRICE: \$23

Accessories



A01P2 Plastic Stake



A01P1 Plastic Stake



Brass Stake



A01K PVC Wire Way



A01D PVC + Brass



A04M(MR16)
A04P(PAR36)
Hex Louvre Lens



LLC10100/100FT/10/2
LLC12100/100FT/12/2
LLC14A10060S/1
C6100n0n/1e0c0toFrT/16/2



LLC10250/250FT/10/2
LLC12250/250FT/12/2
LLC14250/250FT/14/2
LLC16250/250FT/16/2



LLC10500/500FT/10/2
LLC12500/500FT/12/2
LLC14500/500FT/14/2
LLC16500/500FT/16/2



A06 Wire Connector
10 to 22 AWG wire 8
to 22 AWG wire
6 to 22 AWG wire
connector



A02 Surface Mount



A02RO Surface Mount



A02RE Surface Mount



A10 Locknut



A02G Gutter Mount



A02D Tree Mount



A05L C



A05 3 3"



A05 7 7"



A051 2 12"



A051 8 18"



A052 4 24"

LED Lights

ITEM NO.		PICTURE	EQUIVALENT	DESCRIPTION	UNIT PRICE
MR16	LL161		10W Halogen	1W, 9-17VAC, 90lm, 2700K/3000K,30/100°, Water Resistant, Thermo Protective	\$10.50
MR16	LL162		10W Halogen	2W, 9-17VAC, 180lm, 2700K/3000K,30/60/100°, Water Resistant, Thermo Protective	\$12.00
MR16	LL164		20W Halogen	4W, 9-17VAC, 360lm, 2700K/3000K, 15/30/45/60/100°, Water Resistant,Thermo Protective	\$14.00
MR16	LL165		35W Halogen	5W, 9-17VAC, 450lm, 2700K/3000K, 15/30/45/60/100°, Water Resistant,Thermo Protective	\$15.00
MR16	LL166		50W Halogen	6W, 9-17VAC, 530lm, 2700K/3000K,15/30/45/60/100°, Water Resistant,Thermo Protective	\$16.00
MR16	LL166SSC		N/A	Solid State Color Red/Blue/Green 6W,9-17VAC, 45°, Water Resistant,Thermo Protective	\$22.00
MR16	LL167		60W Halogen	7W, 9-17VAC, 600lm, 2700K/3000K,15/30/45/60/100°, Water Resistant,Thermo Protective	\$17.00
MR16	LL168		70W Halogen	8W, 9-17VAC, 720lm, 2700K/3000K,15/30/45/60°, Water Resistant,Thermo Protective	\$20.00
MR16C	CLL165		35W Halogen	5W, 9-17VAC, 450lm, 15/30/45/60° Multiple Lens come with one lampDegrees Switchable	\$20.00
MR16C	CLL16CT5		35W Halogen	5W, 9-17VAC, 30/45/60°27/30/40/50/60K AdjustableMultiple Lens come with one lamp	\$15.50
MR16T	TLL16CT5		35W Halogen	5W, 9-17VAC, 45° 27/30/40/50/60K AdjustableBrown Housing,	\$14.50
MR16T	TLL16		20W Halogen	4.5W, 9-17VAC, 2700K/3000K, 30/60°,Brown Housing,	\$9.00
MR16T	TLL16		35W Halogen	5.5W, 9-17VAC, 2700K/3000K, 30/60°,Brown Housing,	\$9.50

LED Lights

ITEM NO.		PICTURE	EQUIVALENT	DESCRIPTION	UNIT PRICE
PAR36	LL366		35W Halogen	6W, 12-24VAC, 590lm, 2700K/3000K, 38/60°, Waterproof, Thermo Protective	\$30.00
PAR36	LL3610		60W Halogen	10W, 12-24VAC, 800lm, 2700K/3000K, 38/60°, Waterproof, Thermo Protective	\$34.00
PAR36	LL3610SSC		N/A	Solid State Color Red/Blue/Green 10W,12-24VAC, 38° Waterproof, Thermo Protective	\$43.00
PAR36	LL3613		80W Halogen	13W, 9-17VAC, 1130lm, 2700K/3000K, 38/60°, Waterproof, Thermo Protective	\$37.00
PAR36	LL3617		100W Halogen	17W, 9-17VAC, 1300lm, 2700K/3000K,38/60°, Waterproof, Thermo Protective	\$43.00
PAR36C	CLL3610		60W Halogen	10W, 9-17V AC/DC, 800lm, 2700K, 38°/60°, WaterproofNew Arrival in Dec 2024	\$34.00
PAR36C	CLL3613		80W Halogen	13W, 9-17V AC/DC, 1130lm, 2700K, 38°/60°, WaterproofNew Arrival in Dec 2024	\$37.00
PAR36C	CLL3617		100W Halogen	17W, 9-17V AC/DC, 1300lm, 2700K, 38°/60°, WaterproofNew Arrival in Dec 2024	\$43.00

LED Lights

ITEM NO.		PICTURE	EQUIVALENT	DESCRIPTION	UNIT PRICE
MR11	LL11		20W Halogen	2.5W, 9-17VAC, 180lm, 2700K/3000K, 38/60°	\$10.00
MR8	LL8		20W Halogen	2.5W, 9-17VAC, 160lm, 2700K/3000K, 38/60°	\$10.00
G4	LL4R		N/A	2W, 12VAC, RGB, WiFi/ Bluetooth control Available	\$17.00
MR16	LL16R		N/A	4.5W, 12VAC, RGBWW, WiFi/ Bluetooth control Available, 45°/60°	\$25.00
PAR36	LL36R		N/A	10W, 12VAC, RGBWW, WiFi/ Bluetooth control Available, 38°/60°, Waterproof	\$50.00
G4	LL4B2		20W Halogen	2W, 9-17VAC, 200lm, 2700K/3000KBrass Construction, Water Resistant	\$11.00
G4	LL4B3		35W Halogen	3W, 9-17VAC, 300lm, 2700K/3000KBrass Construction, Water Resistant	\$12.00
G4	LL4B4		50W Halogen	4W, 9-17VAC, 400lm, 2700K/3000KBrass Construction, Water Resistant	\$13.00

LED Lights

ITEM NO.		PICTURE	EQUIVALENT	DESCRIPTION	UNIT PRICE
G4	CLL4		50W Halogen	3W 9-17V AC/DC 270lm2700K/3000K/4000K AdjustableCeramic BaseNew Arrival in stock	\$10.00
G4	LL4S2		20W Halogen	2W, 9-17VAC, 180lm, 2700K/3000KSilicon Potted, Water Resistant	\$8.00
G4	LL4S3		50W Halogen	3W, 9-17VAC, 270lm, 2700K/3000KSilicon Potted, Water Resistant	\$9.00
G4	LL4S4		50W Halogen	4W, 9-17VAC, 360lm, 2700K/3000KSilicon Potted, Water Resistant	\$10.00
G4	LL4C2		35W Halogen	2W, 9-17VAC, 180lm, 2700K/3000KCeramic Base	\$8.00
G4	LL4C3		50W Halogen	3W, 9-17VAC, 270lm, 2700K/3000KCeramic Base	\$9.00
G4	LL4C4		50W Halogen	4W, 9-17VAC, 360lm, 2700K/3000KCeramic Base	\$10.00
WEDGE	LLW1		20W HalogenT10, 161	1W, 9-17VAC, 100lm, 2700K/3000KBase Dimensions W2.1 x 9.5D mm,Silicon Potted, Water Resistant	\$8.00
WEDGE	LLW3		35W HalogenT25, 3156	3W, 9-17VAC, 270lm, 2700K/3000KBase Dimensions W3 x 16D mm,Silicon Potted, Water Resistant	\$9.00
BAYONET	LLBS1		20W Halogen	1W, 9-17VAC, 100lm, 2700K/3000KSingle Contact, Silicon Potted, Water Resistant	\$8.00
BAYONET	LLBS3		50W Halogen	3W, 9-17VAC, 270lm, 2700K/3000KSingle Contact, Silicon Potted, Water Resistant	\$9.00
BAYONET	LLBD1		20W Halogen	1W, 9-17VAC, 100lm, 2700K/3000KDouble Contact, Silicon Potted, Water Resistant	\$8.00
BAYONET	LLBD3		50W Halogen	3W, 9-17VAC, 270lm, 2700K/3000KDouble Contact, Silicon Potted, Water Resistant	\$9.00



Wire & Cable

ITEM NO.	PICTURE	DESCRIPTION		UNIT PRICE	
LLC16100		100ft 16/2 Landscape Lighting Cable	\$35.00	4.00	100ft/ Roll
LLC16250		250ft 16/2 Landscape Lighting Cable	\$80	11.00	250ft/ Roll
LLC16500		500ft 16/2 Landscape Lighting Cable	\$160.00	21.00	500ft/ Roll
LLC14100		100ft 14/2 Landscape Lighting Cable	\$38.00	6.00	100ft/ Roll
LLC14250		250ft 14/2 Landscape Lighting Cable	\$95.00	14.00	250ft/ Roll
LLC14500		500ft 14/2 Landscape Lighting Cable	\$190.00	28.00	500ft/ Roll
LLC12100		100ft 12/2 Landscape Lighting Cable	\$58.00	7.00	100ft/ Roll
LLC12250		250ft 12/2 Landscape Lighting Cable	\$140.00	19.00	250ft/ Roll
LLC12500		500ft 12/2 Landscape Lighting Cable	\$280.00	35.00	500ft/ Roll
LLC10100		100ft 10/2 Landscape Lighting Cable	\$100.00	10.00	100ft/ Roll
LLC10250		250ft 10/2 Landscape Lighting Cable	\$250.00	27.00	250ft/ Roll
LLC10500		500ft 10/2 Landscape Lighting Cable	\$500.00	53.00	500ft/ Roll